

FTP directory /sunexpert/autogen at ftp.hillside.co.uk

[Up to higher level directory](#)

02/20/1997 12:00AM	426	<u>README</u>
12/08/1996 12:00AM	842	<u>desctohtml</u>
12/08/1996 12:00AM	134	<u>example.desc</u>
12/08/1996 12:00AM	275	<u>example.html</u>
12/08/1996 12:00AM	2,602	<u>sample.gif</u>
12/08/1996 12:00AM	192	<u>template.m4</u>

Files in this directory are:

README	this file
desctohtml	script that turns the description file into an html file using the template. When you install or use this, make sure that you add the execute bits onto the script. chmod +x desctohtml
example.desc	The description file.
example.html	The output html
sample.gif	The gif that the page shows.
template.m4	The template.

Peter Collinson
8/December/1996

```
#!/bin/sh
#      Sample htmtodesc script
#      for SunExpert
#      The only change is to improve argument decoding
if [ $# -ne 1 ]
then
    echo 'Usage: desc-tohtml description-file'
    exit 1
fi
echo 'changequote({,})undefine({index})dnl' > m4defs
sed -e '/^TITLE: /s/^TITLE: \(\.*\)$/define({TITLE}, {\1})dnl/'
/^PAGETITLE: /s/^PAGETITLE: \(\.*\)$/define({PAGETITLE}, {\1})dnl/
/^IMAGE: /s/^IMAGE: \(\.*\)$/define({IMAGE}, {\1.gif})dnl/
/^SIZE: /s/^SIZE: \(\.*\)$/define({SIZE}, {\1})dnl/
/^PORTRAIT: /s/^PORTRAIT: \(\.*\)$/define({IMAGE}, {\1.gif})dnl\
    define({SIZE}, {width=256 height=384})dnl/
/^LANDSCAPE: /s/^LANDSCAPE: \(\.*\)$/define({IMAGE}, {\1.gif})dnl\
    define({SIZE}, {width=384 height=256})dnl/
/^TEXT:/s/^.*$/define({TEXT}, {'$1' >> m4defs
echo '})dnl' >> m4defs
date=`date '+%e.%B %Y'`
echo "define({DATE}, {$date})dnl" >> m4defs
m4 m4defs template.m4
```

TITLE: Sample
PAGETITLE: Sample page
IMAGE: sample
SIZE: width=50 height=100
TEXT:
<p> This is a sample
automatically generated page.

Sample page

This is a sample automatically generated page.



Last changed on: 7 December 1996



PAGETITLE

TEXT

Last changed on: DATE